# FXVS 1212-1218

## Torres de enfriamiento de circuito cerrado

## Engineering data

**Observaciones:** No utilizar para construcción. Consulte las dimensiones y pesos certificados por la fábrica. Esta página incluye datos actuales en la fecha de publicación, que deben volver a confirmarse en el momento de la compra. En interés de la mejora del producto, las especificaciones, pesos y dimensiones están sujetos a cambio sin previo aviso.

Prestaciones de la torre de enfriamiento FXVS en condiciones estándar

**Last update:** 17/05/2024

### FXVS 1212-1218

This file has been generated from the BAC website on: 17/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/es/productos/FXVS-1212-1218

1. Entrada fluido; 2. Salida fluido; 3. Llenado; 4. Rebosadero; 5. Vaciado; 6. Puerta de acceso; 7. Ventilación ND 15.

This file has been generated from the BAC website on: 17/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/es/productos/FXVS-1212-1218

| Modelo | Pesos (kg) | | | Dimensiones (mm) | | | Caudal de aire (m3/s) | Motor del ventilador (kW) | Caudal de agua (l/s) | Motor de la bomba (kW) | Volumen de batería (l) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Peso en funcionamiento (kg) | Peso de expedición (kg) | Sección más pesada batería (kg) | L | W | H | | | | | |
| FXVS 1212C-12D-K | 9290 | 5470 | 3100 | 3651 | 3607 | 5199 | 34.8 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 573 |
| FXVS 1212C-12D-L | 9330 | 5510 | 3140 | 3651 | 3607 | 5199 | 39.8 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 573 |
| FXVS 1212C-12D-M | 9350 | 5530 | 3160 | 3651 | 3607 | 5199 | 43.7 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 573 |
| FXVS 1212C-12D-O | 9410 | 5590 | 3220 | 3651 | 3607 | 5199 | 50.0 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 573 |
| FXVS 1212C-12D-P | 9480 | 5660 | 3290 | 3651 | 3607 | 5199 | 56.2 | (2x) 15.0 | 54.6 | (1x) 5.5 | (1x) 573 |
| FXVS 1212C-16D-K | 9890 | 5890 | 3520 | 3651 | 3607 | 5199 | 34.4 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 753 |
| FXVS 1212C-16D-L | 9930 | 5930 | 3560 | 3651 | 3607 | 5199 | 39.3 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 753 |
| FXVS 1212C-16D-M | 9950 | 5950 | 3580 | 3651 | 3607 | 5199 | 43.2 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 753 |
| FXVS 1212C-16D-O | 10010 | 6010 | 3630 | 3651 | 3607 | 5199 | 49.4 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 753 |
| FXVS 1212C-16D-P | 10080 | 6080 | 3710 | 3651 | 3607 | 5199 | 55.6 | (2x) 15.0 | 54.6 | (1x) 5.5 | (1x) 753 |
| FXVS 1212C-16Q-K | 10000 | 6010 | 3630 | 3651 | 3607 | 5199 | 34.3 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 751 |
| FXVS 1212C-16Q-L | 10040 | 6050 | 3670 | 3651 | 3607 | 5199 | 39.2 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 751 |
| FXVS 1212C-16Q-M | 10060 | 6070 | 3690 | 3651 | 3607 | 5199 | 43.1 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 751 |
| FXVS 1212C-16Q-O | 10120 | 6120 | 3750 | 3651 | 3607 | 5199 | 49.3 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 751 |
| FXVS 1212C-16Q-P | 10190 | 6190 | 3820 | 3651 | 3607 | 5199 | 55.5 | (2x) 15.0 | 54.6 | (1x) 5.5 | (1x) 751 |
| FXVS 1212C-20D-K | 10490 | 6310 | 3930 | 3651 | 3607 | 5199 | 34.1 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 934 |
| FXVS 1212C-20D-L | 10530 | 6350 | 3970 | 3651 | 3607 | 5199 | 38.9 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 934 |
| FXVS 1212C- | 10550 | 6370 | 3990 | 3651 | 3607 | 5199 | 42.8 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 934 |

This file has been generated from the BAC website on: 17/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/es/productos/FXVS-1212-1218

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 20D-M | | | | | | | | | | | |
| FXVS 1212C-20D-O | 10600 | 6420 | 4050 | 3651 | 3607 | 5199 | 48.9 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 934 |
| FXVS 1212C-20D-P | 10680 | 6500 | 4120 | 3651 | 3607 | 5199 | 55.0 | (2x) 15.0 | 54.6 | (1x) 5.5 | (1x) 934 |
| FXVS 1212C-24D-K | 11380 | 7020 | 4900 | 3651 | 3607 | 6080 | 33.8 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 1114 |
| FXVS 1212C-24D-L | 11420 | 7060 | 4940 | 3651 | 3607 | 6080 | 38.6 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 1114 |
| FXVS 1212C-24D-M | 11440 | 7080 | 4960 | 3651 | 3607 | 6080 | 42.4 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 1114 |
| FXVS 1212C-24D-O | 11500 | 7140 | 5020 | 3651 | 3607 | 6080 | 48.5 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 1114 |
| FXVS 1212C-24D-P | 11570 | 7210 | 5090 | 3651 | 3607 | 6080 | 54.5 | (2x) 15.0 | 54.6 | (1x) 5.5 | (1x) 1114 |
| FXVS 1212C-24Q-K | 11490 | 7130 | 5020 | 3651 | 3607 | 6080 | 33.8 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 1117 |
| FXVS 1212C-24Q-L | 11530 | 7170 | 5060 | 3651 | 3607 | 6080 | 38.6 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 1117 |
| FXVS 1212C-24Q-M | 11550 | 7190 | 5080 | 3651 | 3607 | 6080 | 42.4 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 1117 |
| FXVS 1212C-24Q-O | 11610 | 7250 | 5130 | 3651 | 3607 | 6080 | 48.5 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 1117 |
| FXVS 1212C-24Q-P | 11680 | 7320 | 5200 | 3651 | 3607 | 6080 | 54.5 | (2x) 15.0 | 54.6 | (1x) 5.5 | (1x) 1117 |
| FXVS 1212C-24T-K | 11520 | 7160 | 5040 | 3651 | 3607 | 6080 | 33.7 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 1115 |
| FXVS 1212C-24T-L | 11560 | 7200 | 5080 | 3651 | 3607 | 6080 | 38.6 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 1115 |
| FXVS 1212C-24T-M | 11580 | 7220 | 5100 | 3651 | 3607 | 6080 | 42.4 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 1115 |
| FXVS 1212C-24T-O | 11630 | 7270 | 5150 | 3651 | 3607 | 6080 | 48.5 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 1115 |
| FXVS 1212C-24T-P | 11710 | 7340 | 5230 | 3651 | 3607 | 6080 | 54.5 | (2x) 15.0 | 54.6 | (1x) 5.5 | (1x) 1115 |
| FXVS 1212C-28D-K | 11980 | 7440 | 5320 | 3651 | 3607 | 6080 | 33.5 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 1294 |
| FXVS 1212C-28D-L | 12020 | 7480 | 5360 | 3651 | 3607 | 6080 | 38.3 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 1294 |
| FXVS 1212C-28D-M | 12040 | 7500 | 5380 | 3651 | 3607 | 6080 | 42.2 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 1294 |

This file has been generated from the BAC website on: 17/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/es/productos/FXVS-1212-1218

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| FXVS 1212C-28D-O | 12100 | 7550 | 5440 | 3651 | 3607 | 6080 | 48.2 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 1294 |
| FXVS 1212C-30T-K | 12460 | 7820 | 5700 | 3651 | 3607 | 6080 | 33.4 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 1386 |
| FXVS 1212C-30T-L | 12500 | 7860 | 5740 | 3651 | 3607 | 6080 | 38.2 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 1386 |
| FXVS 1212C-30T-M | 12520 | 7880 | 5760 | 3651 | 3607 | 6080 | 42.0 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 1386 |
| FXVS 1212C-30T-O | 12570 | 7940 | 5820 | 3651 | 3607 | 6080 | 48.0 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 1386 |
| FXVS 1212C-30T-P | 12640 | 8010 | 5890 | 3651 | 3607 | 6080 | 53.9 | (2x) 15.0 | 54.6 | (1x) 5.5 | (1x) 1386 |
| FXVS 1212C-32Q-K | 12690 | 7960 | 5840 | 3651 | 3607 | 6080 | 33.3 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 1477 |
| FXVS 1212C-32Q-L | 12730 | 8000 | 5880 | 3651 | 3607 | 6080 | 38.0 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 1477 |
| FXVS 1212C-32Q-M | 12750 | 8020 | 5900 | 3651 | 3607 | 6080 | 41.8 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 1477 |
| FXVS 1212C-32Q-O | 12800 | 8080 | 5960 | 3651 | 3607 | 6080 | 47.8 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 1477 |
| FXVS 1212C-32Q-P | 12870 | 8150 | 6030 | 3651 | 3607 | 6080 | 53.7 | (2x) 15.0 | 54.6 | (1x) 5.5 | (1x) 1477 |
| FXVS 1212C-36T-K | 13310 | 8400 | 6280 | 3651 | 3607 | 6080 | 33.1 | (2x) 4.0 | 54.6 | (1x) 5.5 | (1x) 1656 |
| FXVS 1212C-36T-L | 13350 | 8440 | 6320 | 3651 | 3607 | 6080 | 37.8 | (2x) 5.5 | 54.6 | (1x) 5.5 | (1x) 1656 |
| FXVS 1212C-36T-M | 13370 | 8460 | 6340 | 3651 | 3607 | 6080 | 41.6 | (2x) 7.5 | 54.6 | (1x) 5.5 | (1x) 1656 |
| FXVS 1212C-36T-O | 13400 | 8500 | 6380 | 3651 | 3607 | 6080 | 47.5 | (2x) 11.0 | 54.6 | (1x) 5.5 | (1x) 1656 |
| FXVS 1212C-36T-P | 13470 | 8570 | 6450 | 3651 | 3607 | 6080 | 53.4 | (2x) 15.0 | 54.6 | (1x) 5.5 | (1x) 1656 |
| FXVS 1218C-24Q-K | 17080 | 10480 | 7270 | 5480 | 3607 | 6230 | 52.2 | (3x) 4.0 | 85.2 | (1x) 7.5 | (1x) 1655 |
| FXVS 1218C-24Q-L | 17150 | 10550 | 7340 | 5480 | 3607 | 6230 | 59.6 | (3x) 5.5 | 85.2 | (1x) 7.5 | (1x) 1655 |
| FXVS 1218C-24Q-M | 17170 | 10570 | 7360 | 5480 | 3607 | 6230 | 65.6 | (3x) 7.5 | 85.2 | (1x) 7.5 | (1x) 1655 |
| FXVS 1218C-24Q-O | 17290 | 10700 | 7480 | 5480 | 3607 | 6230 | 74.9 | (3x) 11.0 | 85.2 | (1x) 7.5 | (1x) 1655 |
| FXVS | 17390 | 10800 | 7580 | 5480 | 3607 | 6230 | 84.3 | (3x) | 85.2 | (1x) | (1x) |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1218C-24Q-P | | | | | | | | 15.0 | | 7.5 | 1655 |
| FXVS 1218C-24T-K | 17100 | 10510 | 7300 | 5480 | 3607 | 6230 | 52.3 | (3x) 4.0 | 85.2 | (1x) 7.5 | (1x) 1656 |
| FXVS 1218C-24T-L | 17170 | 10580 | 7370 | 5480 | 3607 | 6230 | 59.8 | (3x) 5.5 | 85.2 | (1x) 7.5 | (1x) 1656 |
| FXVS 1218C-24T-M | 17190 | 10600 | 7390 | 5480 | 3607 | 6230 | 65.7 | (3x) 7.5 | 85.2 | (1x) 7.5 | (1x) 1656 |
| FXVS 1218C-24T-O | 17320 | 10720 | 7510 | 5480 | 3607 | 6230 | 75.1 | (3x) 11.0 | 85.2 | (1x) 7.5 | (1x) 1656 |
| FXVS 1218C-24T-P | 17420 | 10820 | 7610 | 5480 | 3607 | 6230 | 84.5 | (3x) 15.0 | 85.2 | (1x) 7.5 | (1x) 1656 |
| FXVS 1218C-32Q-K | 18870 | 11730 | 8520 | 5480 | 3607 | 6230 | 51.5 | (3x) 4.0 | 85.2 | (1x) 7.5 | (1x) 2199 |
| FXVS 1218C-32Q-L | 18940 | 11800 | 8590 | 5480 | 3607 | 6230 | 58.9 | (3x) 5.5 | 85.2 | (1x) 7.5 | (1x) 2199 |
| FXVS 1218C-32Q-M | 18960 | 11820 | 8610 | 5480 | 3607 | 6230 | 64.8 | (3x) 7.5 | 85.2 | (1x) 7.5 | (1x) 2199 |
| FXVS 1218C-32Q-O | 19080 | 11940 | 8730 | 5480 | 3607 | 6230 | 74.0 | (3x) 11.0 | 85.2 | (1x) 7.5 | (1x) 2199 |
| FXVS 1218C-32Q-P | 19180 | 12040 | 8830 | 5480 | 3607 | 6230 | 83.2 | (3x) 15.0 | 85.2 | (1x) 7.5 | (1x) 2199 |
| FXVS 1218C-36H-K | 19940 | 12520 | 9310 | 5480 | 3607 | 6230 | 51.1 | (3x) 4.0 | 85.2 | (1x) 7.5 | (1x) 2468 |
| FXVS 1218C-36H-L | 20010 | 12590 | 9380 | 5480 | 3607 | 6230 | 58.4 | (3x) 5.5 | 85.2 | (1x) 7.5 | (1x) 2468 |
| FXVS 1218C-36H-M | 20030 | 12610 | 9400 | 5480 | 3607 | 6230 | 64.2 | (3x) 7.5 | 85.2 | (1x) 7.5 | (1x) 2468 |
| FXVS 1218C-36H-O | 20120 | 12700 | 9490 | 5480 | 3607 | 6230 | 73.4 | (3x) 11.0 | 85.2 | (1x) 7.5 | (1x) 2468 |
| FXVS 1218C-36H-P | 20220 | 12800 | 9590 | 5480 | 3607 | 6230 | 82.6 | (3x) 15.0 | 85.2 | (1x) 7.5 | (1x) 2468 |

This file has been generated from the BAC website on: 17/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/es/productos/FXVS-1212-1218