Шумоподавление

Закрытые градирни

Engineering data

Примечание: Не использовать для конструирования. Пользоваться сертифицированными на заводе размерами и весами. Данная брошюра включает данные, действительные на момент публикации, которые следует подтвердить заново во время покупки. В интересах усовершенствования продукции технические характеристики, веса и размеры подлежат изменениям без предварительного уведомления.

FXVS производительность градирни при стандартных условиях

Last update: 10/05/2024

Шумоподавление

This file has been generated from the BAC website on: 12/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/ru/изделия/FXVS-Шумоподавление1

This file has been generated from the BAC website on: 12/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/ru/изделия/FXVS-Шумоподавление1

1. Впускной шумоподавитель; 2. Выпускной шумоподавитель

This file has been generated from the BAC website on: 12/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/ru/изделия/FXVS-Шумоподавление1

Номер модели	Размеры (мм)		Вес (кг)	
	D	Ht	Впускной	Выпускной
FXVS 0806B-12D-G	1778	7166	180	70
FXVS 0806B-12D-H	1778	7166	180	70
FXVS 0806B-12D-J	1778	7166	180	70
FXVS 0806B-12D-K	1778	7166	180	70
FXVS 0806B-12D-L	1778	7166	180	70
FXVS 0806B-16D-G	1778	7166	180	70
FXVS 0806B-16D-H	1778	7166	180	70
FXVS 0806B-16D-J	1778	7166	180	70
FXVS 0806B-16D-K	1778	7166	180	70
FXVS 0806B-16D-L	1778	7166	180	70
FXVS 0806B-20D-G	1778	7166	180	70
FXVS 0806B-20D-H	1778	7166	180	70
FXVS 0806B-20D-J	1778	7166	180	70
FXVS 0806B-20D-K	1778	7166	180	70
FXVS 0806B-20D-L	1778	7166	180	70
FXVS 0806B-24D-G	1778	8047	180	70
FXVS 0806B-24D-H	1778	8047	180	70
FXVS 0806B-24D-J	1778	8047	180	70
FXVS 0806B-24D-K	1778	8047	180	70
FXVS 0806B-24D-L	1778	8047	180	70
FXVS 0806B-28D-G	1778	8047	180	70
FXVS 0806B-28D-H	1778	8047	180	70
FXVS 0806B-28D-J	1778	8047	180	70
FXVS 0806B-28D-K	1778	8047	180	70
FXVS 0806B-28D-L	1778	8047	180	70
FXVS 0806B-32D-G	1778	8047	180	70
FXVS 0806B-32D-H	1778	8047	180	70
FXVS 0806B-32D-J	1778	8047	180	70
FXVS 0806B-32D-K	1778	8047	180	70
FXVS 0806B-32D-L	1778	8047	180	70
FXVS 0806B-36D-G	1778	8047	180	70
FXVS 0806B-36D-H	1778	8047	180	70
FXVS 0806B-36D-J	1778	8047	180	70
FXVS 0806B-36D-K	1778	8047	180	70
FXVS 0806B-36D-L	1778	8047	180	70
FXVS 0809B-16D-K	1473	7166	180	100
FXVS 0809B-16D-L	1473	7166	180	100
FXVS 0809B-20D-K	1473	7166	180	100
FXVS 0809B-20D-L	1473	7166	180	100
FXVS 0809B-24D-K	1473	8047	180	100
FXVS 0809B-24D-L	1473	8047	180	100
FXVS 0809B-24T-K	1473	8047	180	100
FXVS 0809B-24T-L	1473	8047	180	100
FXVS 0809B-28D-K	1473	8047	180	100
FXVS 0809B-28D-L	1473	8047	180	100
FXVS 0809B-30T-K	1473	8047	180	100
FXVS 0809B-30T-L	1473	8047	180	100
FXVS 0809B-32D-K	1473	8047	180	100
FXVS 0809B-32D-L	1473	8047	180	100
FXVS 0809B-36D-K	1473	8047	180	100
FXVS 0809B-36D-L	1473	8047	180	100
FXVS 0809B-36T-K	1473	8047	180	100
FXVS 0809B-36T-L	1473	8047	180	100
FXVS 0812B-12D-K	1778	7166	330	130
FXVS 0812B-12D-L	1778	7166	330	130
FXVS 0812B-12D-M	1778	7166	330	130

This file has been generated from the BAC website on: 12/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/ru/изделия/FXVS-Шумоподавление1

FXVS 0812B-12D-O	1778	7166	330	130
FXVS 0812B-16D-K	1778	7166	330	130
FXVS 0812B-16D-L	1778	7166	330	130
FXVS 0812B-16D-M	1778	7166	330	130
FXVS 0812B-16D-O	1778	7166	330	130
FXVS 0812B-16Q-K	1778	7166	330	130
FXVS 0812B-16Q-L	1778	7166	330	130
FXVS 0812B-16Q-M	1778	7166	330	130
FXVS 0812B-16Q-O	1778	7166	330	130
FXVS 0812B-20D-K	1778	7166	330	130
FXVS 0812B-20D-L	1778	7166	330	130
FXVS 0812B-20D-M	1778	7166	330	130
FXVS 0812B-20D-O	1778	7166	330	130
FXVS 0812B-24Q-K	1778	8047	330	130
FXVS 0812B-24Q-L	1778	8047	330	130
FXVS 0812B-24Q-M	1778	8047	330	130
FXVS 0812B-24Q-O	1778	8047	330	130
FXVS 0812B-24T-K	1778	8047	330	130
FXVS 0812B-24T-L	1778	8047	330	130
FXVS 0812B-24T-M	1778	8047	330	130
FXVS 0812B-24T-O	1778	8047	330	130
FXVS 0812B-30T-K	1778	8047	330	130
FXVS 0812B-30T-L	1778	8047	330	130
FXVS 0812B-30T-M	1778	8047	330	130
FXVS 0812B-30T-O	1778	8047	330	130
FXVS 0812B-32Q-K	1778	8047	330	130
FXVS 0812B-32Q-L	1778	8047	330	130
FXVS 0812B-32Q-M	1778	8047	330	130
FXVS 0812B-32Q-O	1778	8047	330	130
FXVS 0812B-36T-K	1778	8047	330	130
FXVS 0812B-36T-L	1778	8047	330	130
FXVS 0812B-36T-M	1778	8047	330	130
FXVS 0812B-36T-O	1778	8047	330	130
FXVS 0818B-24Q-K	1778	8200	500	190
FXVS 0818B-24Q-L	1778	8200	500	190
FXVS 0818B-24Q-M	1778	8200	500	190
FXVS 0818B-24Q-O	1778	8200	500	190
FXVS 0818B-24T-K	1778	8200	500	190
FXVS 0818B-24T-L	1778	8200	500	190
FXVS 0818B-24T-M	1778	8200	500	190
FXVS 0818B-24T-O	1778	8200	500	190
FXVS 0818B-32Q-K	1778	8200	500	190
FXVS 0818B-32Q-L	1778	8200	500	190
FXVS 0818B-32Q-M	1778	8200	500	190
FXVS 0818B-32Q-O	1778	8200	500	190
FXVS 0818B-36H-K	1778	8200	500	190
FXVS 0818B-36H-L	1778	8200	500	190
FXVS 0818B-36H-M	1778	8200	500	190
FXVS 0818B-36H-O	1778	8200	500	190
FXVS 1012C-12D-K	1778	7979	370	130
FXVS 1012C-12D-L	1778	7979	370	130
FXVS 1012C-12D-M	1778	7979	370	130
FXVS 1012C-12D-O	1778	7979	370	130
FXVS 1012C-16D-K	1778	7979	370	130
FXVS 1012C-16D-L	1778	7979	370	130
FXVS 1012C-16D-M	1778	7979	370	130
FXVS 1012C-16D-O	1778	7979	370	130
FXVS 1012C-16Q-K	1778	7979	370	130
FXVS 1012C-16Q-L	1778	7979	370	130
FXVS 1012C-16Q-M	1778	7979	370	130
FXVS 1012C-16Q-O	1778	7979	370	130

This file has been generated from the BAC website on: 12/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/ru/изделия/FXVS-Шумоподавление1

FXVS 1012C-20D-K	1778	7979	370	130
FXVS 1012C-20D-L	1778	7979	370	130
FXVS 1012C-20D-M	1778	7979	370	130
FXVS 1012C-20D-O	1778	7979	370	130
FXVS 1012C-24D-K	1778	8860	370	130
FXVS 1012C-24D-L	1778	8860	370	130
FXVS 1012C-24D-M	1778	8860	370	130
FXVS 1012C-24D-O	1778	8860	370	130
FXVS 1012C-24Q-K	1778	8860	370	130
FXVS 1012C-24Q-L	1778	8860	370	130
FXVS 1012C-24Q-M	1778	8860	370	130
FXVS 1012C-24Q-O	1778	8860	370	130
FXVS 1012C-24T-K	1778	8860	370	130
FXVS 1012C-24T-L	1778	8860	370	130
FXVS 1012C-24T-M	1778	8860	370	130
FXVS 1012C-24T-O	1778	8860	370	130
FXVS 1012C-28D-K	1778	8860	370	130
FXVS 1012C-28D-L	1778	8860	370	130
FXVS 1012C-28D-M	1778	8860	370	130
FXVS 1012C-30T-K	1778	8860	370	130
FXVS 1012C-30T-L	1778	8860	370	130
FXVS 1012C-30T-M	1778	8860	370	130
FXVS 1012C-30T-O	1778	8860	370	130
FXVS 1012C-32Q-K	1778	8860	370	130
FXVS 1012C-32Q-L	1778	8860	370	130
FXVS 1012C-32Q-M	1778	8860	370	130
FXVS 1012C-32Q-O	1778	8860	370	130
FXVS 1012C-36T-K	1778	8860	370	130
FXVS 1012C-36T-L	1778	8860	370	130
FXVS 1012C-36T-M	1778	8860	370	130
FXVS 1012C-36T-O	1778	8860	370	130
FXVS 1018C-24Q-K	1778	9010	570	190
FXVS 1018C-24Q-L	1778	9010	570	190
FXVS 1018C-24Q-M	1778	9010	570	190
FXVS 1018C-24Q-O	1778	9010	570	190
FXVS 1018C-24Q-P	1778	9010	570	190
FXVS 1018C-24T-K	1778	9010	570	190
FXVS 1018C-24T-L	1778	9010	570	190
FXVS 1018C-24T-M	1778	9010	570	190
FXVS 1018C-24T-O	1778	9010	570	190
FXVS 1018C-24T-P	1778	9010	570	190
FXVS 1018C-32Q-K	1778	9010	570	190
FXVS 1018C-32Q-L	1778	9010	570	190
FXVS 1018C-32Q-M	1778	9010	570	190
FXVS 1018C-32Q-O	1778	9010	570	190
FXVS 1018C-32Q-P	1778	9010	570	190
FXVS 1018C-36H-K	1778	9010	570	190
FXVS 1018C-36H-L	1778	9010	570	190
FXVS 1018C-36H-M	1778	9010	570	190
FXVS 1018C-36H-O	1778	9010	570	190
FXVS 1018C-36H-P	1778	9010	570	190
FXVS 1212C-12D-K	1930	7979	370	140
FXVS 1212C-12D-L	1930	7979	370	140
FXVS 1212C-12D-M	1930	7979	370	140
FXVS 1212C-12D-O	1930	7979	370	140
FXVS 1212C-12D-P	1930	7979	370	140
FXVS 1212C-16D-K	1930	7979	370	140
FXVS 1212C-16D-L	1930	7979	370	140
FXVS 1212C-16D-M	1930	7979	370	140
FXVS 1212C-16D-O	1930	7979	370	140
FXVS 1212C-16D-P	1930	7979	370	140

This file has been generated from the BAC website on: 12/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/ru/изделия/FXVS-Шумоподавление1

FXVS 1212C-16Q-K	1930	7979	370	140
FXVS 1212C-16Q-L	1930	7979	370	140
FXVS 1212C-16Q-M	1930	7979	370	140
FXVS 1212C-16Q-O	1930	7979	370	140
FXVS 1212C-16Q-P	1930	7979	370	140
FXVS 1212C-20D-K	1930	7979	370	140
FXVS 1212C-20D-L	1930	7979	370	140
FXVS 1212C-20D-M	1930	7979	370	140
FXVS 1212C-20D-O	1930	7979	370	140
FXVS 1212C-20D-P	1930	7979	370	140
FXVS 1212C-24D-K	1930	8860	370	140
FXVS 1212C-24D-L	1930	8860	370	140
FXVS 1212C-24D-M	1930	8860	370	140
FXVS 1212C-24D-O	1930	8860	370	140
FXVS 1212C-24D-P	1930	8860	370	140
FXVS 1212C-24Q-K	1930	8860	370	140
FXVS 1212C-24Q-L	1930	8860	370	140
FXVS 1212C-24Q-M	1930	8860	370	140
FXVS 1212C-24Q-O	1930	8860	370	140
FXVS 1212C-24Q-P	1930	8860	370	140
FXVS 1212C-24T-K	1930	8860	370	140
FXVS 1212C-24T-L	1930	8860	370	140
FXVS 1212C-24T-M	1930	8860	370	140
FXVS 1212C-24T-O	1930	8860	370	140
FXVS 1212C-24T-P	1930	8860	370	140
FXVS 1212C-28D-K	1930	8860	370	140
FXVS 1212C-28D-L	1930	8860	370	140
FXVS 1212C-28D-M	1930	8860	370	140
FXVS 1212C-28D-O	1930	8860	370	140
FXVS 1212C-30T-K	1930	8860	370	140
FXVS 1212C-30T-L	1930	8860	370	140
FXVS 1212C-30T-M	1930	8860	370	140
FXVS 1212C-30T-O	1930	8860	370	140
FXVS 1212C-30T-P	1930	8860	370	140
FXVS 1212C-32Q-K	1930	8860	370	140
FXVS 1212C-32Q-L	1930	8860	370	140
FXVS 1212C-32Q-M	1930	8860	370	140
FXVS 1212C-32Q-O	1930	8860	370	140
FXVS 1212C-32Q-P	1930	8860	370	140
FXVS 1212C-36T-K	1930	8860	370	140
FXVS 1212C-36T-L	1930	8860	370	140
FXVS 1212C-36T-M	1930	8860	370	140
FXVS 1212C-36T-O	1930	8860	370	140
FXVS 1212C-36T-P	1930	8860	370	140
FXVS 1218C-24Q-K	1930	9010	570	200
FXVS 1218C-24Q-L	1930	9010	570	200
FXVS 1218C-24Q-M	1930	9010	570	200
FXVS 1218C-24Q-O	1930	9010	570	200
FXVS 1218C-24Q-P	1930	9010	570	200
FXVS 1218C-24T-K	1930	9010	570	200
FXVS 1218C-24T-L	1930	9010	570	200
FXVS 1218C-24T-M	1930	9010	570	200
FXVS 1218C-24T-O	1930	9010	570	200
FXVS 1218C-24T-P	1930	9010	570	200
FXVS 1218C-32Q-K	1930	9010	570	200
FXVS 1218C-32Q-L	1930	9010	570	200
FXVS 1218C-32Q-M	1930	9010	570	200
FXVS 1218C-32Q-O	1930	9010	570	200
FXVS 1218C-32Q-P	1930	9010	570	200
FXVS 1218C-36H-K	1930	9010	570	200
FXVS 1218C-36H-L	1930	9010	570	200

This file has been generated from the BAC website on: 12/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/ru/изделия/FXVS-Шумоподавление1

FXVS 1218C-36H-M	**1930**	**9010**	**570**	**200**
FXVS 1218C-36H-O	**1930**	**9010**	**570**	**200**
FXVS 1218C-36H-P	**1930**	**9010**	**570**	**200**

This file has been generated from the BAC website on: 12/05/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/ru/изделия/FXVS-Шумоподавление1